

### SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

|                      |   |
|----------------------|---|
| <b>Product name:</b> | Luxigraze Adhesive  |
| <b>Use:</b>          | Adhesive  |
| <b>Supplier:</b>     | TALASEY LTD<br>ST VINCENT HOUSE<br>NORMANBY ROAD<br>SCUNTHORPE<br>NORTH LINCOLNSHIRE<br>DN15 8QT<br><b>Tel:</b> 0330 333 8030<br><b>Fax:</b> 0330 333 8040<br><b>Email:</b> enquiries@luxigraze.co.uk |

### SECTION 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

|  |  |
|--|--|
| <b>Classification under CLP:</b>       | Xn: R20; Xi: R36/37/38; Xn: R40; Sens.: R42/43; Xn: R48/20; -: R52/53  |
| <b>Classification under CHIP:</b>      | Carc. 2: H351; STOT RE 2: H373; Acute Tox. 4: H332; Eye Irrit. 2: H319; Skin Irrit. 2: H315; STOT SE 3: H335; Skin Sens. 1: H317; Resp. Sens. 1: H334                      |
| <b>Most important adverse effects:</b> | Harmful by inhalation. Irritating to eyes, respiratory system and skin. Limited evidence of a carcinogenic effect. May cause sensitisation by inhalation and skin contact. |
| <b>Harmful:</b>                        | danger of serious damage to health by prolonged exposure through inhalation. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |

#### 2.2. Label elements

##### Label elements under CLP:

|                           |  |
|---------------------------|--|
| <b>Hazard statements:</b> | H315: Causes skin irritation.<br>H317: May cause an allergic skin reaction.<br>H319: Causes serious eye irritation.<br>H332: Harmful if inhaled.<br>H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.<br>H335: May cause respiratory irritation.<br>H351: Suspected of causing cancer .<br>H373: May cause damage to organs . through prolonged or repeated exposure through prolonged or repeated inhalative exposure. |
| <b>Signal words:</b>      | Danger   |
| <b>Hazard pictograms:</b> | GHS07: Exclamation mark GHS08: Health hazard   |



**Precautionary statements:**

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P285: In case of inadequate ventilation wear respiratory protection.

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P403+233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container to hazardous or special waste collection point.

**Label elements under CHIP:**

**Hazard symbols:**

Harmful.



**Risk phrases:**

R20: Harmful by inhalation.

R36/37/38: Irritating to eyes, respiratory system and skin.

R40: Limited evidence of a carcinogenic effect.

R42/43: May cause sensitisation by inhalation and skin contact.

R48/20: Harmful: danger of serious damage to health by prolonged exposure through inhalation.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Safety phrases:**

S23: Do not breathe vapour.

S38: In case of insufficient ventilation, wear suitable respiratory equipment.

S36/37: Wear suitable protective clothing and gloves.

S24/25: Avoid contact with skin and eyes.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S63: In case of accident by inhalation, remove casualty to fresh air and keep at rest.

**Precautionary phrases:**

Contains isocyanates. See information supplied by the manufacturer.

**2.3. Other hazards**

**PBT:**

This substance is not identified as a PBT substance.

### SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

**Hazardous ingredients:**

DIPHENYLMETHANE-4,4'-DI-ISOCYANATE  
EINECS 202-966-0  
CAS 101-68-8  
CHIP Classification Xn: R40; Xn: R20; Xi: R36/37/38; Xn: R40;  
Sens.: R42/43  
CLP Classification - Carc. 2: H351; Acute Tox. 4: H332; STOT RE  
2: H373; Eye Irrit. 2: H319; STOT SE 3: H335  
Percent 30-60%

TRIPHENYL PHOSPHITE  
EINECS 202-908-4  
CAS 101-02-0  
CHIP Classification Xi: R36/38; N: R50/53  
CLP Classification - Eye Irrit. 2: H319; Skin Irrit. 2: H315; Aquatic  
Chronic 1: H410;  
Aquatic Acute 1: H400  
Percent 1-5%

### SECTION 4 FIRST AID MEASURES

#### 4.1. Description of first aid measures

**Skin contact:**

Remove all contaminated clothes and footwear immediately unless stuck to skin.

Wash immediately with plenty of soap and water.

**Eye contact:**

Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:**

Wash out mouth with water. Consult a doctor.

**Inhalation:**

Remove casualty from exposure ensuring one's own safety whilst doing so.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:**

There may be irritation and redness at the site of contact. Onset of symptoms may be delayed.

**Eye contact:**

There may be irritation and redness. The eyes may water profusely.

**Ingestion:**

There may be soreness and redness of the mouth and throat.

**Inhalation:**

There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing. Onset of symptoms may be delayed.

**Delayed / immediate effects:**

Immediate effects can be expected after short-term exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:**

Eye bathing equipment should be available on the premises.

### SECTION 5 FIRE FIGHTING MEASURES

#### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes

#### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

### SECTION 6 ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

#### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

#### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

#### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

### SECTION 7 HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

**Suitable packaging:** Must only be kept in original packaging.

#### 7.3. Specific end use(s)

**Specific end use(s):** adhesive

### SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

|                                   |  |
|-----------------------------------|--|
| <b>Workplace exposure limits:</b> | 8 hour TWA 0.02mg/m <sup>3</sup><br>15 min. STEL 0.07mg/m <sup>3</sup> |
| <b>Hazardous ingredients:</b>     | <b>DIPHENYLMETHANE-4,4'-DI-ISOCYANATE</b>                              |
| <b>Workplace exposure limits:</b> | 8 hour TWA 0.02mg/m <sup>3</sup><br>15 min. STEL 0.07mg/m <sup>3</sup> |

#### 8.2. Exposure controls

|                                |   |
|--------------------------------|---|
| <b>Engineering measures:</b>   | Ensure there is sufficient ventilation of the area.   |
| <b>Respiratory protection:</b> | If exposure levels are likely to be exceeded, use a full face mask fitted with an organic AXP3 filter for short term low level exposures. For long term or high level exposures, compressed airline breathing apparatus should be used. |
| <b>Hand protection:</b>        | Avoid skin contact. For repeated exposure use Viton or 4H chemical gloves, the user must COSHH risk assess to determine the correct glove.  |
| <b>Eye protection:</b>         | Safety glasses. Ensure eye bath is to hand.   |
| <b>Skin protection:</b>        | Protective clothing.  |

### SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

|                             |                                |
|-----------------------------|--------------------------------|
| <b>State:</b>               | Liquid                         |
| <b>Colour:</b>              | Green                          |
| <b>Odour:</b>               | Characteristic odour           |
| <b>Evaporation rate:</b>    | Slow                           |
| <b>Oxidising:</b>           | Non-oxidising (by EC criteria) |
| <b>Solubility in water:</b> | Reacts with water.             |
| <b>Viscosity:</b>           | Viscous                        |
| <b>Flash point°C:</b>       | >93                            |
| <b>Autoflammability°C:</b>  | >600                           |
| <b>Vapour pressure:</b>     | 0.01Pa                         |
| <b>Relative density:</b>    | 1.23                           |

**9.2. Other information** Not applicable

### SECTION 10 STABILITY AND REACTIVITY

#### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.  
Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

**Conditions to avoid:** Heat.

#### 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids.

#### 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes.

### SECTION 11 TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

##### Toxicity values:

| ROUTE  | SPECIES | TEST | VALUE  | UNITS |
|--------|---------|------|--------|-------|
| ORAL   | RAT     | LD50 | >10000 | mg/kg |
| DERMAL | RBT     | LD50 | >9400  | mg/kg |

##### Relevant effects for mixture:

| EFFECT                   | ROUTE       | BASIS                  |
|--------------------------|-------------|------------------------|
| Acute toxicity (harmful) | INH         | Hazardeous: calculated |
| Irritation               | OPT INH DRM | Hazardeous: calculated |
| Sensitisation            | INH DRM     | Hazardeous: calculated |
| Repeated dose toxicity   | INH         | Hazardeous: calculated |

#### Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact. Onset of symptoms may be delayed

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing. Onset of symptoms may be delayed.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

### SECTION 12 ECOLOGICAL INFORMATION

#### 12.1. Toxicity

**Ecotoxicity values:**

| SPECIES                       | TEST     | VALUE | UNITS |
|-------------------------------|----------|-------|-------|
| Aquatic plants                | 72H EC50 | 1640  | mg/l  |
| Daphnia magna                 | 24H EC50 | >1000 | mg/l  |
| Sludge                        | 3H EC50  | >100  | mg/l  |
| Zebrafish (Brachydanio rerio) | 96H LC50 | >1000 | mg/l  |

#### 12.2. Persistence and degradability

**Persistence and degradability:**

Biodegradable in part only.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential:**

No data available.

#### 12.4. Mobility in soil

**Mobility:**

Readily absorbed into soil.

#### 12.5. Results of PBT and vPvB assessment

**PBT identification:**

This substance is not identified as a PBT substance.

#### 12.6. Other adverse effects

### SECTION 13 WASTE DISPOSAL

#### 13.1. Waste treatment methods

**Disposal operations:**

Transfer to a suitable container and arrange for collection by specialised disposal company.

Disposal of packaging: Arrange for disposal by a licenced waste disposal company

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

### SECTION 14 TRANSPORT INFORMATION

**Transport class:**

This product does not require a classification for transport.

### SECTION 15 REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Specific regulations:**

This product is classified as a mixture. CLP classification for information only. Persons already sensitised to diisocyanates may develop allergic reactions when using this product. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

#### 15.2. Chemical Safety Assessment

**Chemical safety assessment:**

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

#### SECTION 16 OTHER INFORMATION

##### Other information

###### Other information:

This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010, using the current safety information supplied by the distributors of the component materials. This leaflet may contain inappropriate information under particular conditions of use.

###### Phrases used in s.2 and 3:

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335: May cause respiratory irritation.

H351: Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H373: May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H410: Very toxic to aquatic life with long lasting effects.

R20: Harmful by inhalation.

R36/37/38: Irritating to eyes, respiratory system and skin.

R36/38: Irritating to eyes and skin.

R40: Limited evidence of a carcinogenic effect.

R42/43: May cause sensitisation by inhalation and skin contact.

R48/20: Harmful: danger of serious damage to health by prolonged exposure through inhalation.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

###### Legal disclaimer:

This product is for professional use only and should be used as directed. For further information consult the application data sheet. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The company shall not be held liable for any damage resulting from handling or from contact with the above product.